
Shunmuga >>> STEEL

"Your Trusted Partner in Quality Steel Products"



No. 3/100, Rasappa Street, 1st Floor, Park Town, Chennai – 600003. Email: enquiry@shunmugasteel.in, Phone: +91-7200240007

COLD ROLLED STEEL



• Thickness: 0.60 to 2.00 (mm)

• Width: 914, 1000, 1250, 1500 (mm)


• Length: Customized based on the Requirement

• Applications : Auto parts, General Fabrication





GALVANIZED PLAIN COIL



Thickness: 0.30 to 1.20 (mm)

• Width: 914, 1000, 1220, 1250 (mm)

• Length: Customized as per requirement (coil form)


• Coating: Zinc coated for anti-corrosion protection

 Applications: Roofing sheets, Ducting, Panels, General Fabrication





GALVANIZED CORRUGATED SHEETS



• Width: 914, 1000, 1250, 1500 mm

Length: Customized based on requirement

• Applications: Roofing, Wall Cladding, Industrial Sheds






PPGL COLOR COATED COIL



- Thickness: 0.30 to 0.80 (mm)
- Width: 914, 1000, 1220, 1250 (mm)
- Length: Customized as per requirement (coil form)
- Base Metal: Galvalume (Al-Zn alloy coated steel)
- Applications: Roofing Sheets, Wall Cladding, Industrial Buildings, Warehouses, Agricultural Sheds







- Thickness: 0.30 mm to 1.20 mm
- Width: 914, 1000, 1219, 1250, 1500 mm
- Length: Customized as per project requirement
- Corrosion resistance: High protection against rust and weathering
- Applications: Roofing, cladding, and structural panels








- Thickness: 0.80 to 1.20 (mm)
- Width: 914, 1000, 1220 (mm)
- Length: Customized as per requirement
- Profile: High rib design for excellent load capacity
- Applications: Multi-storey Buildings, Commercial Complexes, Bridges, Industrial Flooring

Authorized
Distributor
AM/NS



C & Z PURLINS



- Thickness: 1.5 mm to 3.0 mm
- Length: Customized as per project need
- Finish: Galvanized
- High strength-to-weight ratio
- Available in C & Z profiles
- Long lifespan with minimal maintenance





Thickness: 30 mm to 100 mm

• Width: 1000 mm

• Length: Customized as per requirement


Material: Galvanized / Galvalume (PPGI / PPGL finish)

• Core: Polyurethane Foam (PUF)

• Density: $40 \pm 2 \text{ kg/m}^3$



ROOFING ACCESSORIES





OUR SERVICES


- We provide cutting, bending, and punching services for all steel products.
- Our in-house team ensures custom sizes, accurate profiles, and quick delivery.





Your One-Stop
Destination for
All Custom Steel
Solutions.





Shunmuga >>> STEEL



No. 3/100, Rasappa Street 1st Floor, Park Town Chennai - 600003.



+91-72002 40007 +91-94448 09242



Email: enquiry@shunmugasteel.in



Built on Trust. Strengthened by Steel.